

Suite # 205, Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/Fax: ++91-2692-238849, 238850

A MATERIAL SAFETY DATA SHEET **SODIUM METAPERIODATE**

1.1 Product Identifiers:

Product Name Sodium metaperiodate

CAS No 7790-28-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Supplier: Infinium Pharmachem Pvt. Ltd. (AN ISO 9001:2008 CERTIFIEDCO.)

38, G.I.D.C, Sojitra

Dist: ANAND

Gujarat, India

Tel 0091-2697-234987

Fax 0091-2697-234987

info@infiniumpharmachem.com Email:

: Periodic Acid (HIO4) Sodium Salt (8CI,9CI); Sodium **Synonyms**

> Periodate (NaIO4); Monosodium Metaperiodate; Periodic Acid Sodium Salt; Sodium Metaperiodate;

Sodium Metaperiodate (NaIO4);

CAS No. : 7790-28-5

Molecular Weight : 213.89 g/mol



Suite # 205.Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/ Fax: ++91-2692-238849, 238850

Email:info@infiniumpharmachem.com infinium_11@yahoo.com Web: www.infiniumpharmachem.com

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

Chemical Formula

: INaO₄

3.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 1), H271

Skin corrosion (Category 1C), H314

Specific target organ toxicity - repeated exposure (Category 1), thymus gland, H372

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

 \mathbf{O} Oxidising R 8

 \mathbf{C} Corrosive R34

T Toxic R48/25

N Dangerous for the R50

environment

For the full text of the R-phrases mentioned in this Section, see Section 16.

3.2 Label elements

Labeling according Regulation (EC) No 1272/2008



Pictogram

Signal word Danger

Hazard statement(s)

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.



Suite # 205, Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/Fax: ++91-2692-238849, 238850

Email:info@infiniumpharmachem.com infinium_11@yahoo.com Web: www.infiniumpharmachem.com

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

H372 Causes damage to organs (thymus gland) through prolonged or

repeated exposure.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P210	Keep away fron	heat, hot surfaces,	sparks, open flames and
	r	,,	, -

other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

IF ON SKIN (or hair): Take off immediately all contaminated P303 + P361 + P353

clothing. Rinse skin with water/shower.

P304 + P340 + P310IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER or doctor/ physician.

P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

In case of major fire and large quantities: Evacuate area. Fight P371 + P380 + P375

None

fire remotely due to the risk of explosion.

Supplemental Hazard Statements

3.3 Other hazards

None

4.1 Description of first aid measures

General Advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Suite # 205,Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/Fax:++91-2692-238849, 238850

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most Important symptoms & efforts, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 3.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5.1 Extinguishing Media:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hydrogen Iodide, Sodium oxides.

5.3 Advice for firefighters

Wear self contained breathing apparatus for fighting if necessary.

5.4 Further Information

Use water spray to cool unopened containers.

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.



Suite # 205,Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India.

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13

7.1 Precautions for safe Handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from the sources of ignition – No smoking

7.2 Conditions for safe Storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Light sensitive. Hygroscopic.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8.1 Control parameters

Components with workplace control Parameters.

8.2 Exposure Controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



Suite # 205, Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/ Fax: ++91-2692-238849, 238850

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Boiling range

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9.1 Information on Basic physical & chemical properties

Form: crystalline a) Appearance

b) Odor odourless

c) Odor Threshold no data available

d) pH 3.5 - 5.5 at 107 g/l at 25 °C

e) Melting point/freezing Melting point/range: 270 °C Point

f) Initial boiling point and no data available

g) Flash point no data available h) Evaporation rate no data available

i) Flammability (solid, gas) the product is not flammable



Suite # 205,Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India.
Tele/ Fax: ++91-2692-238849, 238850

j) Upper/lower

Flammability or explosive limits

k) Vapor pressure 1) Vapor density m) Relative density

n) Water solubility

o) Partition coefficient: n-octanol /water

p) Auto ignition **Temperature**

q) Decomposition **Temperature**

r) Viscosity

s) Explosive properties

t) Oxidizing properties

no data available

no data available no data available

 3.860 g/cm^3 107 g/l at 20°C – completely soluble

no data available

262 °C

no data available

no data available no data available

the substances or mixture is classified as

oxidizing with the category 1.

9.2 Other safety Information

No data available

10.1 Reactivity

no data available

10.2 Chemical stability

Hygroscopic

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Exposure to light.

10.5 Incompatible materials

Organic materials, Forms shock-sensitive mixtures with certain other materials., Reducing agents, Powdered metals, Magnesium

10.6 Hazardous decomposition products



Suite # 205.Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/Fax: ++91-2692-238849, 238850

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

Other decomposition products - no data available

In the event of fire: see section 5

11.1 Information on toxicological effects

Acute toxicity

LD50 Intraperitoneal - Mouse - 58 mg/kg

Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Risk of serious damage to eyes.

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC:

No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. -thymus gland



Suite # 205,Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India.
Tele/ Fax: ++91-2692-238849, 238850

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

Aspiration hazard

no data available

Additional Information

RTECS: SD4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12.1 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Bioaccumulative potential

no data available

12.3 Mobility in soil

no data available

12.4 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic(PBT), or very persisitent and very bioaccumulative (vPvB0) at levels of 0.1 % or higher.

12.5 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) -

> 0.17 mg/l - 96 h

Toxicity to daphnia & static test EC50 - Daphnia magna (Water flea) - 0,18 mg/l - 48h

other aquatic invertebrates

12.6 Other adverse effects

Very toxic to aquatic life.

No data available

13.1 Waste treatment methods



Suite # 205, Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/Fax: ++91-2692-238849, 238850

R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: -3085 IMDG: -3085 IATA: -3085

14.2 UN proper shipping name

ADR/RID : OXIDIZING SOLID, CORROSIVE, N.O.S. (Sodium periodate) (Sodium

periodate)

IMDG : OXIDIZING SOLID, CORROSIVE, N.O.S. (Sodium periodate) (Sodium

periodate)

IATA : oxidizing solid, corrosive, n.o.s. (Sodium periodate) (Sodium periodate)

14.3 Transport hazard class(es)

ADR/RID: - (5.1) 8 IMDG: - (5.1)8 IATA: - (5.1)8

14.4 Packaging group

ADR/RID: - I IMDG: -I IATA: I

14.5 Environmental hazards

IMDG Marine pollutant: no IATA: no ADR/RID: yes

14.6 Special precautions for user

no data available

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



Suite # 205,Sigma Prime, Second Floor Nr. Sardar Patel Statue Vallabh Vidyanangar, Dist. Anand - 388 121 Gujarat.India. Tele/ Fax: ++91-2692-238849, 238850

Web: www.infiniumpharmachem.com R.O. & Factory Address:-Plot No.38 - 39 GIDC Sojitra - 387240 Dist. Anand Gujarat - India Tel / Fax :++91-2697- 234987

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

no data available

Full text of H-Statements referred to under sections 2 and 3.

Aguatic Acute Acute aquatic toxicity

H271 May cause fire or explosion; strong oxidiser. Causes severe skin burns and eye damage. H314

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Ox. Sol. Oxidizing solids Skin Corr. Skin corrosion

STOT RE Specific target organ toxicity - repeated exposure

Full text of R-phrases referred to under sections 2 and 3

Corrosive C

N Dangerous for the environment

0 Oxidising T Toxic

R 8 Contact with combustible material may cause fire.

R34

R48/25 Toxic: danger of serious damage to health by prolonged exposure if

swallowed.

R50 Very toxic to aquatic organisms.

MSDS Creation Date: 01-01-2015 **Revision #1 Date:** _ <u>31-12-2017</u>

Disclaimer:

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Infinium Pharmachem Pvt Ltd be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages,



howsoever arising, even if Infinium Pharmachem Pvt Ltd has been advised of the possibility of such damages.